



Product Code . JL-PET-1413

Three Phase Half Controlled Thyristorized Bridge Converter

Description

Three Phase Half Controlled Thyristorized Bridge Converter

- To study the nature and generation of Control Signal for 3 phases half wave Controlled Rectifier
- To study the operation of a 3f Half Wave controlled bridge rectifier with R load
- To study the operation of a 3f Half Wave controlled bridge rectifier with R-L load
- To study the effect of freewheeling diode on the output waveform

Features:-

The board consists of the following built-in parts:

- Three Phase line commuted half-controlled thyristorized bridge converter.
- Three pole power contractor with AC coil complete with Push-to-ON switch.
- Four pole Miniature Circuit Breaker (MCB).
- Three separate identical cards consisting of Zero Crossing Detector, Integrator, Comparator and Pulse Generator one for each phase, for controlling the triggering angles of the positive group of three thyristors.
- Firing angle control potentiometer.

Three 415:

- 6V transformers AC supply for Triggering.

Three 415:

- 50V at 1 Amp transformers for rectifications.
- $\pm 12V$ & $+5V$ DC at 500mA, IC Regulator Power Supply for Triggering Circuits.

-
- Three nos.
 - Driver Circuits with Pulse Transformers.
 - High Frequency Gated Dual Gate Firing 3 nos.
 - R and L load with Load voltage divider.
 - Two 3½ digital panel meter (DPM) for measurement of voltage and current.
 - One freewheel diode.
 - Unearthed mains sockets for CRO.
 - Adequate no. of other Electronic Components.
 - The jewel light in Red, Blue & Yellow colour.
 - The unit is operative on 3-f 415V at 50Hz A.C. Mains.
 - Adequate no. of patch cords stackable 4 mm spring loaded plug length ½ metres.
 - Good Quality, reliable terminal/sockets are provided at appropriate places on panel for connections/ observation of waveforms.
 - Strongly supported by detailed Operating Instructions, giving details of Object, Theory, Design procedures, Report Suggestions and Book References.

Weight :

- 15 Kg. (Approx.)

Dimension :

- W 445 x H 260 x D 470

Other Apparatus Required:

- Dual Trace Cathode Ray Oscilloscope 20MHz (Unearthed)

Other Information:

Pay Mode Terms:

- T/T (Bank Transfer)

Minimum Order Quantity:

- 1 Piece

Port of Dispatch:

- India

Delivery Time:




- 4 weeks

Packaging Details:

- Corrugated Box

Three Phase Half Controlled Thyristorized Bridge Converter Manufacturer India, Three Phase Half Controlled Thyristorized Bridge Converter Exporters, Electronics Three Phase Half Controlled Thyristorized Bridge Converter, Buy Three Phase Half Controlled Thyristorized Bridge Converter Online India, Educational Equipments for School Lab, Laboratory Equipment Suppliers, Didactic, Didactic Three Phase Half Controlled Thyristorized Bridge Converter, Power Electronics Trainers Equipment Exporters, Scientific Instrument and Equipment Manufacturer.

```
{ "@context": "http://schema.org/", "@type": "Product", "name": "Three Phase Half Controlled Thyristorized Bridge Converter", "image": "https://www.jlabexport.com/images/catalog/product/1308848003_2017-10-22.jpg", "description": "Three Phase Half Controlled Thyristorized Bridge Converter To study the nature and generation of Control Signal for 3 phases half wave Controlled Rectifier To study the operation of a 3f Half Wave controlled bridge rectifier with R load To study the operation of a 3f Half Wave controlled bridge rectifier with R-L load To study the effect of freewheeling diode on the output waveform Three Phase Half Controlled Thyristorized Bridge Converter Manufacturer India, Three Phase Half Controlled Thyristorized Bridge Converter Exporters, Electronics Three Phase Half Controlled Thyristorized Bridge Converter, Buy Three Phase Half Controlled Thyristorized Bridge Converter Online India, Educational Equipments for School Lab, Laboratory Equipment Suppliers, Didactic, Didactic Three Phase Half Controlled Thyristorized Bridge Converter, Power Electronics Trainers Equipment Exporters, Scientific Instrument and Equipment Manufacturer.", "brand": "Jlab export", "sku": "5", "gtin8": "5", "gtin13": "5", "gtin14": "5", "mpn": "5", "aggregateRating": { "@type": "AggregateRating", "ratingValue": "5", "bestRating": "5", "worstRating": "0", "ratingCount": "5" } }
```

Jain Laboratory Instruments Pvt. Ltd,
Hargolal Road, Ambala Cantt, Haryana India
Direct Contact Details  +91-8569909696  sales@jlabexport.com
 www.jlabexport.com