

## Jain Laboratory Instruments





Product Code . JL-M-8075

Trinocular 5W LED Kohler Illumination

## Description

Trinocular 5W LED Kohler Illumination

## **Descriptions:-**

A new generation of microscopes features plan achromatic optics.

Equipped with 5w LED lamp, field diaphragm, Abbe condensers and other optical components.

The Compact body is designed for flexibility which can perform various applications such as brightfield, darkfield, and polarization.

Trinocular microscope can be equipped with digital camera and LCD screen for photo and video documentation and image analysis

The standard Kohler illumination system provides uniformly bright and free-from-glare specimen illumination, which optimizes a high image quality with brighter and sharper resolutions for photomicrography.

## **Specification:-**

Viewing Head	JLab trinocular head which will not chan made
	30° inclined and 360° rotatable, fully up requirements
	Interpupillary adjustment of 48mm-75mr

Evonicoo	Widefield (WE) 10 x /22mm
Eyepiece	Widefield (WF) 10 x /22mm
	High eyepoint, with eye guard
	Both eyepieces are diopter adjustable,
	Optional reticule eyepiece for measurer available (not included)
Nosepiece	Revolving reversed quadruple objective parfocaled.
	The nosepiece runs on ball bearings an magnification.
Objectives	Plan Achromatic DIN 4X/0.10 160/0.17
	Plan Achromatic DIN 10X/0.25 160/0.17
	Plan Achromatic DIN 40XR/0.65 160/0.
	Plan Achromatic DIN 100XR/1.25 oil 16
	40XR and 100XR objectives are retracta
Focusing System	Low position coaxial coarse and fine for
	37.7mm per coarse rotation
	0.1mm per fine rotation, fine focus grad
	Focusing range 16mm
	Tension adjustment eliminates focus dri
Stage	216mmx150mm built-in double layer me
	Smooth X/Y calibrated movement with o
	Non-extending rack
	Graphite surface, rounded edges
Illumination	Built-in Kohler illumination with field diag
	N.A. 1.25 Abbe condensers which heigh
	be adjusted for proper illumination of the
	Adjustable aperture iris diaphragm incol
	contrast, and depth of field; a graduate
	5w LED for optimum illumination and co
	With light intensity control
Imaging	Trinocular phototube (50% vis, 50% doc
inaging	images and view live video of the specir
	0.5x C-mount included
Other characters	Ergonomically designed metal frame for
	Carrying handle integrated in the back of
	Arm and base made of one piece const
	Antifungal treatment prevents fungal gro
	Cord holder for convenient storage
Optional Accessory	Dark field kit
optional Accessory	
Available (not included)	

Polarizing kit
1x C-mount