

**Product Code . JL-LE-8182**

## Digital Iso Block Dry Bath



### Description

---

#### Digital Iso Block Dry Bath

Iso Block dry bath is ideal for incubation of samples at two different temperatures, in a single compact unit.

The hinged (and removable) lid is also designed with a dividing wall.

The two chambers are separated by an insulated wall and are controlled independently, allowing IsoBlock to serve as two dry baths in one.

When closed, this dividing wall acts as a barrier, preventing air transfer between chambers.

In addition, the unique Quick-Flip universal blocks accept tubes from 0.5 to 2.0ml and, with just a quick flip to the other side, they also accommodate 0.2ml tubes or PCR strips.

The timer function is non-mandatory; Iso Block can be used for continuous heating.

The control panel features large digital displays of both time and temperature.

Both settings of a block can be adjusted at any point, without affecting the settings of the other block.

Various blocks are available for accommodating nearly all popular tube sizes.

Specification:-

Temperature Range:	Ambient +5° to 105°C
Temperature Accuracy::	± 0.3°C
Temperature Uniformity:	± 0.2°C
Temperatuer Increments:	0.1°C
Timer:	Off or 1 min. to 99 hr 59 min.
Dimensions:	6.3 x 145 x 5 in. / 16 x 36.5 x 13 cm
Weight:	10 lbs / 4.5kg
Electrical::	120V or 230V, 50-60Hz

Contact JLab Export for your Educational School Science Lab Equipments. We are bestscientific lab equipments manufacturers, scientific laboratory equipments manufacturer, technical educational equipment manufacturer, technical lab equipments manufacturers, tvet lab equipment manufacturers, vocational training lab equipments exporter.